PAT-NO:

JP02002281119A

DOCUMENT-IDENTIFIER:

JP 2002281119 A

TITLE:

CHARGING SYSTEM FOR PORTABLE COMMUNICATION

TERMINAL

PUBN-DATE:

September 27, 2002

INVENTOR-INFORMATION:

NAME

JINNOUCHI, HIROMOTO

COUNTRY

N/A

ASSIGNEE-INFORMATION:

NAME

SHARP CORP

COUNTRY

N/A

APPL-NO:

JP2001076097

APPL-DATE:

Market Branch Company Of 1

INT-CL (IPC):

H04M001/00, H02J007/00 , H04B007/26 , H04M001/02 ,

H04M001/11

H04M001/21 , H04Q009/00

ABSTRACT:

PROBLEM TO BE SOLVED: To provide a charging system of a portable communication terminal where reproduction of voice from a recording medium can

be enjoyed by using a portable communication terminal during charging, with the

same feeling as using audio equipment, without the user feeling inconvenience

of operation.

SOLUTION: The portable communication terminal 1 is mounted on a charger 2,

and terminals of a connector 100 come into direct contact with the terminals of

a connector 200, which are connected electrically. In this state, when a user

performs operation on an operation part 201 of the charger 2 or on an operation $% \left(1\right) =\left(1\right) +\left(1\right) +\left($

4/12/2006, EAST Version: 2.0.3.0

part 301 of a remote operation device 3, a control signal corresponding to the

operation is transmitted from a control part 211 of the charger 2 to a main

control part 103 of the communication terminal 1. According to the control

signal transmitted from the control part 211 of the charger 2, the main control

part 103 in the communication terminal 1 controls the operations for recording

and reproducing 110, which reads data stored in the recording medium 109.

COPYRIGHT: (C) 2002, JPO

(19)日本国特許庁 (JP)

(12) 公開特許公報(A)

(11)特許出願公開番号 特開2002-281119 (P2002-281119A)

(43)公開日 平成14年9月27日(2002.9.27)

(51) Int.Cl.		識別記号		F I 5-73-1-°({				-73-1*(参考)	
H 0 4 M	1/00			H 0 4	4 M 1	1/00		Q	5 G O O 3
								R	5 K O 2 3
H 0 2 J	7/00	3 0 1		H 0 2	2 J 7	7/00		301A	5 K O 2 7
H 0 4 B	7/26			H 0 4	1 M 1	1/02		C	5 K O 4 8
H 0 4 M	1/02				1	/11		Z	5 K 0 6 7
			審查請求	未請求	節求項	の数16	OL	(全 10 頁)	最終頁に続く

(21)出願番号 特顏2001-76097(P2001-76097)

(22)出願日 平成13年3月16日(2001.3.16)

(71)出顧人 000005049

シャープ株式会社

大阪府大阪市阿倍野区長池町22番22号

(72)発明者 陣之内 宏基

大阪府大阪市阿倍野区長池町22番22号 シ

ャープ株式会社内

(74)代理人 100085501

弁理士 佐野 静夫


最終頁に続く

(54)【発明の名称】 携帯型通信端末充電システム

(57)【要約】

【課題】 利用者が、操作の不便さを感じることなく、オーディオ機器を用いる場合と同様な感覚で、充電中の携帯型通信端末を用いて記録媒体からの音声の再生を楽しむことができるようにした携帯型通信端末充電システムを提供する。

【解決手段】 携帯型通信端末1が充電器2に載置されてコネクタ100の端子とコネクタ200の端子とが直接接触して電気的に接続されている状態にて、充電器2の操作部201あるいは遠隔操作装置3の操作部301上で利用者が操作を行うと、その操作に応じた制御信号が充電器2の制御部211から携帯型通信端末1では、記録媒体109に格納されているデータの読み出しを行う録音再生部110の動作を、充電器2の制御部211から伝送されてくる制御信号に応じて主制御部103が制御する。



特開2002-281119 16 Puh: 09-27-2102:

15			16	
実現できない高画質な画像を楽しむことができる。	1	04	通話用マイク	P
[0071]		05	電話部	10
【発明の効果】以上説明したように、本発明の携帯型通		06	無線部	
信端末充電システムによれば、充電中の携帯型通信端末	_	07	アンテナ	
を用いて記録媒体に格納されているデータを再生するた		08	通話用スピーカ	
めには、充電器あるいは遠隔操作装置を操作すればよく		09	記録媒体	
なるので、携帯型通信端末を直に操作する必要はなくな		10	録音再生部	
る。したがって、利用者は、操作の不便さを感じること		12	充電部	
なく、オーディオ機器を用いる場合などと同じ感覚で、	_	13	二次電池	
充電中の携帯型通信端末を用いて記録媒体からのデータ		14	二 八 电心 電源供給部	
の再生を楽しむことができるようになる。また、このよ		01	操作部	
うな環境を作り出すにあたって利用者に強いられる作業	_	02	表示部	
は、携帯型通信端末を充電するために携帯型通信端末を		02.	赤外線受光部	
充電器に接続するという携帯型通信端末の利用者にとっ		04	赤外線発光部	
て必要不可欠な作業だけであり、利用者が煩雑さを感じ		05	電圧変換部	
ることはない。		06	電源プラグ	
【図面の簡単な説明】		07	通話用マイク	
【図1】 本発明の一実施形態である携帯型通信端末充		08	通話用スピーカ	
電システムの外観図である。		09	アンプ・	
FINAL STATE OF STATE		10	再生用音声信号出力部	
電システムのブロック図である。		1 1	制御部	
【符号の説明】	_	01	操作部	
1 携帯型通信端末	_	02	表示部	
2 充電器		03	赤外線発光部	•
3 遠隔操作装置		04	赤外線受光部	
101 操作部	•	05	データ格納部	
102 表示部 ·		06	記録媒体	
103 主制御部		17	制御部	
			151 bet th	
	31)		}	
(´ ••	2			
102	107			
	. ''لو			
		_5L		
	109))		
		T	$=$ \downarrow	
		5R		
]		
4L 100		_	= (⊧	
200	写	5	<i>(</i> 208	
7	+1	~2		
303,304 202	203,20	A	•	
302	200,20	7		
301				